EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/594007	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 10:52
S 2	15	@ad< "20040329" and ez-pass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 11:01
S3	2	S2 and electromagnetic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 11:04
S4	9	@ad<"20040329" and electromagnetic near3 (attract\$3 fix\$3) near5 tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 11:05
S 5	2596	@ad<"20040329" and ((automobile car vehicle) with (pass\$3 approach\$3) with (electromagnetic magnetic))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 11:09
S6	46	@ad<"20040329" and ((automobile car vehicle) with (pass\$3 approach\$3) with (electromagnetic magnetic) with attract\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 11:10
S7	0	(10/533471).APP.	USPAT; USOCR	OR	ON	2008/09/07 11:11
S10	66	@ad<"20040329" and ((activat \$3 actuat\$3 initiat\$3) near5 electromagnetic near5 (attract\$3 fix\$3) near5 (tag plate card))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 11:21
S11	10	(("5521815") or ("4555414") or ("20020113491") or ("6690293") or ("5801614")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/07 11:25

S12	353	@ad<"20040329" and ((attract\$3 fix\$3 affix\$3 fasten\$3 tighten\$3) near5 (tag plate card) near3 (loose slack unconfined unrestrained))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 11:30
S13	7	S12 and electromagnetic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/07 11:30
S14	13	@ad<"20040329" and ((activat \$3 actuat\$3 initiat\$3) near5 (electromagnet\$2 electro-magnet \$2 magnet\$2) near5 (tag plate card)) same ((detect\$3 sens\$3) near4 (approach\$3 enter\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:44
S15	210	@ad<"20040329" and ((activat \$3 actuat\$3 initiat\$3) near5 (electromagnet\$2 electro-magnet \$2 magnet\$2)) same ((detect\$3 sens\$3) near4 (approach\$3 enter \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:46
S16	106	S15 and (card plate tag)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:47
S17	7	S16 and (RFID (RF adj identification) (radio adj frequency adj identification) IC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:48
S18	2972	@ad<"20040329" and ((car automobile vehicle truck) with ((card plate tag) near2 (IC radio RF RFID)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:54
S19	788	S18 and (magnet\$2 electromagnet\$2 electro-magnet \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:54
S20	191	S19 and ((detect\$3 sens\$3) near7 (approach\$3 enter\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:54

S21	21	S18 and (magnet\$2 electromagnet\$2 electro-magnet \$2) same ((detect\$3 sens\$3) near7 (approach\$3 enter\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:55
S22	5	S21 and attract\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 10:58
S23	0	S15 and ((car automobile vehicle truck) same ((card plate tag) near2 (IC radio RF RFID)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:15
S25	80	S15 and ((magnet\$2 electromagnet\$2 electro-magnet \$2) with (attract\$3 fix\$3 hold\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:16
S26	5	S25 and (RFID (RF adj identification) (radio adj frequency adj identification) IC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:18
S27	15	@ad<"20040329" and ez-pass	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:24
S28	3	S27 and ((detect\$3 sens\$3) near5 (enter\$3 approach\$3 proxmity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:24
S29	0	@ad<"20040329" and (cradle with detect\$3 with handset with RFID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:57
S 30	6	@ad<"20040329" and (cradle with (detect\$3 sens\$3) with handset with (RFID IC radio))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 13:58

S31	3	S15 and (RFID (RF adj identification) (radio adj frequency adj identification) IC) and (attract\$3 with (electromagnet\$2 electro-magnet \$2 magnet\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:03
S32	104	S15 not S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:04
S33	0	S32 and (RFID (RF adj identification) (radio adj frequency adj identification) IC) and (attract\$3 with (electromagnet\$2 electro-magnet \$2 magnet\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:06
S34	1	09/526950 and ((detect\$3 sens \$3) near5 (approach\$3 enter\$3 proxmity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:17
S 35	0	S34 and (RFID (RF adj identification) (radio adj frequency adj identification) IC) and (attract\$3 with (electromagnet\$2 electro-magnet \$2 magnet\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 14:17
S37	4826	@ad<"20040329" and (340/10.1- 10.6,572.1-572.9).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:17
S 39	340	S37 and ((magnet\$2 electromagnet\$2 electro-magnet \$2) with (lock\$3 fix\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:18
S40	79	S39 and ((RFID IC radio) near2 (tag means plate card device))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:19
S41	72	S39 and ((detect\$3 sens\$3) with (enter\$3 approach\$3 proxmity))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:20

S42	24	S39 and 340/572.9.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:23
S44	134	S37 and 340/572.9.ccls. not S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:27
S45	76	S44 and (magnet\$2 electromagnet\$2 electro-magnet \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:27
S46	6	S45 and ((lock\$3 attract\$3 fix\$3) with (electromagnet\$2 electromagnet\$2 magnet\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/08 15:33
S47	17	@ad<"20040329" and (hardware adj disease)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:14
S48	13	S47 and magnet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:15
S51	6	@ad<"20040329" and (electromagnet same attract\$3 same stomach)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:20
S52	4829	@ad<"20040329" and (340/10.1- 10.6,572.1-572.9).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:39
S53	3022	S52 and (magnet\$2 electromagnet\$2 electro-magnet \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:39

S54	703	@ad<"20040329" and ((detect\$3 sens\$3) with (approach\$3 enter \$3) with (bluetooth RFID IC))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:55
S55	55	S54 and (electromagnet magnet electro-magnet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:56
S56	162	@ad<"20040329" and ((detect\$3 sens\$3) with (approach\$3 enter \$3) with (bluetooth RFID))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:56
S57	1	S56 and (electromagnet magnet electro-magnet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:56
S58	91	@ad<"20040329" and ((detect\$3 sens\$3) with (bluetooth RFI D RF)) same ((activat\$3 actuat\$3 initializ\$3 initiat\$3) with (electromagnet electro-magnet magnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:58
S59	34	@ad<"20040329" and ((detect\$3 sens\$3) with (bluetooth RFI D RF)) same ((activat\$3 actuat\$3 initializ\$3 initiat\$3) near4 (electromagnet electro-magnet magnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 15:58
S60	52	@ad<"20040329" and ((cat cow) near2 (magnet electromagnet electro-magnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 16:07
S61	0	S60 and (recover\$3 near4 (magnet electromagnet electro- magnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 16:09
S62	11	S60 and recover\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 16:10

S63	0	@ad<"20040329" and RFID and (expand\$3 near4 bandwidth) same ((lower below) near5 (predetermined preset) near3 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:16
S64	0	@ad<"20040329" and RFID and (expand\$3 near4 bandwidth) same ((lower below) near5 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:16
S65	1	@ad<"20040329" and RFID and ((expand\$3 more across\$3) near4 bandwidth) same ((lower below) near5 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:16
S67	1	@ad<"20040329" and RFID and ((bandwidth band) with power with (lower below) with predetermined)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:18
S68	0	@ad<"20040329" and RFID and ((spread\$3 across\$3 expand\$3) near5 (bandwidth band) near7 less near3 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:20
S69	0	@ad<"20040329" and RFID and ((spread\$3 across\$3 expand\$3) near5 (bandwidth band) same less near3 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:20
S70	0	@ad<"20040329" and RFID and ((spread\$3 across\$3 expand\$3 more) near5 (bandwidth band) same less near3 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:20
S71	551	@ad<"20040329" and RFID and (power near3 (below less lower) near5 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:23
S72	19	S71 and ((expand\$3 increas\$3) near4 bandwidth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:24

S73	1	S71 and ((expand\$3 increas\$3) near4 bandwidth) same ((below less lower) near5 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:24
S74	6	@ad<"20040329" and RFID and ((average predetermined) near2 power near3 band)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:26
S79	242	@ad<"20040329" and SONY and RFID	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:43
S81	197	@ad< "20040329" and SONY and ORE	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:47
S82	1	10/484050	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/09 17:49
S83	2	@ad<"20040329" and (toy adj vehicle) and (bluetooth RFID) and ((detect\$3 sens\$3) near5 (approach\$3 enter\$3 presence))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/10 10:53
S84	2	("6225905").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/12 10:54
S85	14	("4682154" "5003291" "5015992" "5015993" "5030940" "5204526" "5275122" "5406262" "5414412" "5469140").PN. OR ("6225905").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 10:54
S86	12	S85 and @ad< "20040329"	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 10:54
S87	3	(S84 S86) and attract\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 11:10

S88	5	@ad<"20040329" and (adjust\$3 near4 intensity near5 attraction)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:16
S89	215	@ad<"20040329" and (adjust\$3 near4 intensity near5 (electromagnet\$2 electro-magnet \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:17
S90	0	S89 and toy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:17
S91	7	S89 and vehicle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:17
S92	0	S89 and (electromagnet\$2 electro-magnet\$2) near4 (pickup pick)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:22
S93	12	S89 and (electromagnet\$2 electro-magnet\$2) near4 fix\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:23
S94	13	S89 and (electromagnet\$2 electro-magnet\$2) near4 attract \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:25
S95	548	@ad<"20040329" and (control\$4 near4 intensity near5 (electromagnet\$2 electro-magnet \$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:32
S96	0	S95 and toy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:32

S97	3	S95 and (electromagnet\$2 electro-magnet\$2) near4 (pickup pick)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:32
S98	30	S95 and (electromagnet\$2 electro-magnet\$2) near4 fix\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:33
S99	77	S95 and (car vehicle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:35
S100	3	S99 and (electromagnet\$2 electro-magnet\$2) near4 fix\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/13 09:35
S101	33	@ad<"20040329" and (detect\$3 near3 approach) same (magnet \$3 near3 fix\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:04
S102	2	("5943624").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/01 11:05
S103	537	@ad<"20040329" and (fix\$3 near2 metal\$3) near4 (detect\$3 sens\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:10
S104	118	S103 and magnet\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:10
S105	6	S103 and (electro-magnet electromagnet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:11

S106	0	@ad<"20040329" and (fix\$3 near2 metal\$3 near (ID tag)) near4 (detect\$3 sens\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:12
S107	0	@ad<"20040329" and (fix\$3 near2 metal\$3 near (ID tag)) near3 (electromagnet magnet) same (detect\$3 sens\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:13
S108	0	@ad<"20040329" and (fix\$3 near2 metal\$3 near (ID tag)) near3 (electromagnet magnet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:13
S109	36	@ad<"20040329" and (fix\$3 near2 metal\$3 near (ID tag plate)) near3 (electromagnet magnet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:13
S110	145	@ad<"20040329" and (attract\$3 near2 metal\$3 near (ID tag plate)) near3 (electromagnet magnet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:14
S111	0	@ad<"20040329" and (attract\$3 near2 metal\$3 near (ID tag)) near3 (electromagnet magnet) same (detect\$3 sens\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:14
S112	2298	@ad<"20040329" and (ID card tag RFID) near4 (magnet electromagnet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:16
S113	31	@ad<"20040329" and (((RF radio) near2 (ID card tag)) RFID) near4 (magnet electromagnet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:17
S114	10	@ad<"20040329" and ((detect\$3 sens\$3) near2 (approach close)) near4 (activat\$3 near2 (magnet electromagnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:25

S115	20	@ad<"20040329" and ((detect\$3 sens\$3) near2 (proximity)) near4 (activat\$3 near2 (magnet electromagnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:27
S116	9237	@ad<"20040329" and ((attract\$3 fix\$3 affix\$3 fasten\$3 tighten\$3) near2 (tag plate card) near2 metal\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:29
S117	119	S116 and ((activat\$3 actuat\$3 initiat\$3) near3 (electromagnet\$2 electro-magnet\$2 magnet\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:30
S118	7	S116 and ((activat\$3 actuat\$3 initiat\$3) near3 (electromagnet\$2 electro-magnet\$2 magnet\$2)) near4 (detect\$3 sens\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:32
S119	19	@ad<"20040329" and "455"/\$. ccls. and ((detect\$3 sens\$3) near2 (approach\$3 proximity clos \$3)) and ((activat\$3 actuat\$3 initiat\$3) near3 (electromagnet\$2 electro-magnet\$2 magnet\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:53
S120	9	@ad<"20040329" and "455"/\$. ccls. and ((detect\$3 sens\$3) near2 (approach\$3 proximity clos \$3)) and ((activat\$3 actuat\$3 initiat\$3) near3 (electromagnet magnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:53
S121	2	@ad<"20040329" and "455"/\$. ccls. and ((detect\$3 sens\$3) near2 (approach\$3 proximity clos \$3)) same ((activat\$3 actuat\$3 initiat\$3) near3 (electromagnet magnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:54
S122	289	@ad<"20040329" and ((detect\$3 sens\$3) near2 (approach\$3 proximity clos\$3)) same ((activat \$3 actuat\$3 initiat\$3) near3 (electromagnet magnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:55
S123	114	@ad<"20040329" and ((detect\$3 sens\$3) near2 (approach\$3 proximity clos\$3)) near7 ((activat \$3 actuat\$3 initiat\$3) near3 (electromagnet magnet))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 11:55

S124	92		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 12:54
S125	5	S124 and (electromagnet magnet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/01 12:54
S126	7	near2 (trigger\$3 activat\$3 actuat	USPAT; USOCR; FPRS;	OR	ON	2009/04/08 14:06

4/8/2009 2:08:56 PM

C:\ Documents and Settings\ zlu\ My Documents\ EAST\ Workspaces\ 10594007.wsp